

Catalogue

Grosby Holme Grown

Ian Burrow

Monday 1st of March 2026 Number of taxa: 744

This is the list of taxa that we expect to have available in 2026. It is correct on the above date and is exported from Plant Heritages' award winning PERSEPHONE database.

Caveats -

- This is a one year database export, there is usually little plant propagation or movement over winter so i believe it to be accurate when exported.
- The Bad News...as soon as growth and propagation resume this list will become increasingly inaccurate.
- The most accurate availability will alway be the live website plants page. <https://crosbyholmegrown.uk/plants/>
- Some of the taxa we have sold in previous seasons may not be available this year; they may be under propagation; may be found to have wintered poorly and need TLC; may need to be withdrawn for any one of a number of reasons mother nature or the climate can throw at us! Please use the search options on the page above to narrow your search to taxa with availability expected in the current (Calendar) year.
- The Good News...It is almost certain that plants currently under propagation will have progressed well enough to become available either for the first time, or again. <https://crosbyholmegrown.uk/plants/> will be updated accordingly.
- Propagation for sale is usually focused on taxa that are not usually easy to source and that have proved hardy under our conditions in North Cumbria
- We welcome specific enquires regarding our plants at info@crosbyholmegrown.uk

Adenophora liliifolia

Lily-leaf Ladybells. Upright, clumping, herbaceous perennial. Lanceolate leaves. Long spikes, sometimes branched, of hanging, mid-blue, bell-shaped flowers in Summer. 1 x 0.5m in 2-5 years. H5: -15 to -10°C. Any, moist but well-drained soil. Full-sun to Part-shade.

***Ajuga reptans* 'Evening Glow'**

Semi-evergreen, rhizomatous mat forming perennial. Glossy dark purple-bronze leaves with whorled spikes of two lipped, deep blue flowers in Spring. 0.5 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Part-shade to Full-shade.

Allium ampeloprasum* var. *babingtonii


Babington's Levant Garlic. Deciduous bulbous perennial. Strap shaped leaves. Spherical heads of pale pink-purple flowers in Summer. 2 x 0.5m in 2-5 years. H6: -20 to -15°C. Any, moist but well-drained to well-drained soil. Full-sun.

Allium* × *proliferum


Tree Onion. Bulbous perennial. Often cultivated as an annual vegetable with thick, cylindrical grey-green edible leaves. The flower stems produces small greenish flowers and small edible bulbs. 1.5 x 0.5m in 2 - 5 years. H4: -10 to -5°C. Non-ericaceous, well-drained soil. Full-sun.

Allium tuberosum

Garlic Chives. Clump forming hardy bulb. Narrow, flat, Garlic flavoured leaves. Erect stems bear rounded umbels of white flowers from late Summer to Autumn. 0.5 x 0.5m in 2-5 years. H5: -15 to -10°C. Any, moist but well-drained soil. Full-sun.

***Anemanthele lessoniana* AGM**

Pheasant Tail Grass. Clump forming hardy grass. Elegant arching leaves become tinged with orange & red from summer. Bears airy arching sprays of red-brown flowers in late summer. 1 x 1.5m in 2-5 years. H4: -10 to -5°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

Aquilegia canadensis

Canadian Columbine. Clumping, herbaceous perennial. Divided, green, basal foliage. Erect stems carry nodding flowers with pale yellow petals & scarlet sepals with straight spurs in late Spring / early Summer. 0.75 x 0.3m in 2-5 years. H5: -15 to -10°C. Any, moist but well-drained soil. Full-sun to Full-shade.

Artemisia abrotanum



Southernwood.

Erect, deciduous sub-shrub with beautiful feathery aromatic grey-green leaves. Nodding dull yellow flower heads emerge in late summer. 0.75 x 0.75m in 2-5 years. H6: -20 to -15°C. Any, fertile, well-drained soil. Full-sun to Part-shade.

Artemisia absinthium



Wormwood.

Upright deciduous perennial. Aromatic, grey-green, divided foliage. Dull yellow flower heads emerge in late summer. 0.75 x 0.3m in 2-5 years. H6: -20 to -15°C. Any, fertile, well-drained soil. Full-sun.

Artemisia camphorata



Camphor Wormwood. Erect, deciduous sub-shrub with beautiful feathery, aromatic (Camphor) green leaves. Nodding dull yellow flower heads emerge in late summer. 0.5 x 1m in 2-5 years. H6: -20 to -15°C. Any, well-drained to moist but well-drained soil. Full-sun.

Artemisia lactiflora Guizhou Group



Upright, clumping, herbaceous perennial. Purple stems. Deeply divided, purple-flushed dark green leaves. Lax sprays of small cream flowers from mid to late Summer to Autumn. 1.5 x 1.0m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun.

Betonica macrantha



Big Betony.


Upright, herbaceous perennial. Toothed oblong basal leaves. Dense spikes of large pinky-purple flowers in Summer. 0.75 x 0.3m in 2-5 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

Bistorta amplexicaulis 'Clent Charm'



Upright, clumping, herbaceous perennial. Mid green ovate pointed leaves with prominent veins. Long stalked spikes of small flowers described as "Lipstick Pink" appear from Summer to Autumn. 1 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained to poorly-drained soil. Full-sun to Part-shade.

Bistorta amplexicaulis 'Rosea'



Upright, clumping, herbaceous perennial. Mid green ovate pointed leaves with prominent veins. This old cultivar has long stalked spikes of small pale pink flowers from Summer to late Autumn. 1 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained to poorly-drained soil. Full-sun to Part-shade.

Bistorta amplexicaulis Taurus ('Blotau')



Upright, clumping, herbaceous perennial. Forms dense clumps and spreads slower than other varieties. Mid green ovate leaves have prominent veins. Long stalked spikes of brilliant red small flowers appear from Summer to Autumn. 1 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained to poorly-drained soil. Full-sun to Part-shade.

Bistorta officinalis



Common Bistort. Upright, clumping, herbaceous perennial. Prominently veined ovate leaves and spikes of small pink flowers in Summer and Autumn. 1 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained to poorly-drained soil. Full-sun to Part-shade.

Bulbine frutescens




Burn Jelly Plant. Rhizomatous, evergreen perennial. Linear, fleshy green leaves. Erect stems with terminal racemes of yellow to orange flowers throughout the Summer. 0.5 x 1.5m in 2-5 years. H3: -5 to 1°C. Non-ericaceous, well-drained soil.

***Calamagrostis* × *acutiflora* 'England'**



Robust, erect, clumping, perennial grass. Glossy green leaves with golden yellow variegation, that turn yellow in Autumn. Erect stems bearing dense branching flowering panicles in Summer which persist well into winter and are superb in dew or frost. 1.1 x 0.3m in 2 - 5 years. H6: -20 to -15°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

***Calamagrostis brachytricha* AGM**



Korean Feather Reed Grass. Robust, erect, clumping, perennial grass. Glossy green leaves that turn yellow in Autumn. Erect stems bearing dense branching purple tinged flowering panicles in Summer which persist well into winter and are superb in dew or frost. 1.5 x 0.5m in 2 - 5 years. H6: -20 to -15°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

Calamagrostis effusiflora



Lushan Feather Reed Grass. Robust, erect, clumping, perennial grass. Glossy, green, wide leaves, turning yellow in Autumn. Erect stems bear dense, branching, purple tinged panicles in Summer, persisting well into winter and are superb in dew or frost. Taller and later than *C. brachytricha*. 1.7 x 0.5m in 2 - 5 years. H6: -20 to -15°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade. This cultivar is registered as under Plant Heritage guardianship.

Campanula latifolia* var. *macrantha



Clump forming herbaceous perennial. Upright stems carry lanceolate foliage and large violet-blue, bell shaped flowers in Summer. 0.75 x 0.3m in 2-5 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

Cardamine glanduligera



Carpathian Toothwort. Spreading herbaceous perennial. Palmately divided, serrated edged leaves. Nodding purple-blue flowers held above the foliage in Spring. 0.5 x 1m in 2-5 years. H4: -10 to -5°C. Any, moist but well-drained soil. Full-shade to Part-shade.

***Carex elata* 'Aurea' AGM**



Clump forming, evergreen grass. Narrow upright to arching bright yellow leaves. Small, blackish flowering spikes in early Summer. 0.7 x 0.5m in 2-5 years. H6: -20 to -15°C. Any, moist but well-drained to poorly-drained soil. Full-sun to Part-shade.

Centaurea 'Jordy'



Spreading herbaceous perennial. Grey-green leaves with silvery hairs. Upright stems carry deep purple-red thistle-like flowers in late Spring to Summer. 0.5 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

Centaurea montana



Mountain Comflower.

Rhizomatous, herbaceous perennial. Simple or lobed leaves are hairy beneath. Upright stems carry blue thistle-like flowers, sometimes with reddish centres in late Spring to Summer. 0.5 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

Centaurea montana 'Amethyst In Snow'



Spreading herbaceous perennial. Grey-green leaves with silvery hairs. Upright stems carry white thistle-like flowers with purple centres in late Spring to Summer. 0.5 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

Centaurea montana 'Gold Bullion'



Spreading herbaceous perennial. Downy, bright yellow-green leaves. Upright stems carry thistle-like flowers with purple-blue ray florets and deep reddish-purple centers in late Spring to Summer. 0.5 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

Cephalaria gigantea



Giant Scabious. Clump forming herbaceous perennial. Pinately lobed basal leaves. Upright stems carry light yellow, scabious like flowers in Summer. 2 x 1.0m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

Chamaenerion angustifolium 'Album'



Spreading, rhizomatous, herbaceous perennial. Upright stems produce dense spikes of white flowers from mid Summer. 1.5 x 1.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

Cirsium rivulare 'Atropurpureum' AGM




Upright, clumping, herbaceous perennial. Typical thistle type leaves. Upright, branching stems carry small clusters of deep red flowers in Summer. 1.5 x 0.5m in 2 - 5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun.

Cirsium rivulare 'Trevor's Blue Wonder'



Upright, clumping, herbaceous perennial. Typical thistle type leaves. Upright, downy, purple tinged, branching stems carry small clusters of violet-purple flowers in Summer. 1.5 x 0.5m in 2 - 5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun.

***Dahlia* 'Honka Red'**



Tender perennial. Green leaved cultivar. Scarlet-red incurved florets with a contrasting yellow eye. Late Summer into Autumn. 0.7 x 0.5m in 2-5 years. H3: -5 to 1°C. Any, moist but well-drained soil.

***Deschampsia cespitosa* 'Golden Dew' AGM**



Clumping, compact, evergreen perennial grass. Stiff dark green leaves. Arching panicles of green & silvery-light bronze spikelets in Summer mature to golden. 1 x 0.5m in 2-5 years. H5: -15 to -10°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

Dianthus carthusianorum



German Pink.
Variable, bushy, evergreen perennial. Linear basal leaves. Erect to lax stems bear dense clusters of reddish-magenta flowers through Summer. 0.5 x 0.5m in 2-5 years. H7: < -20°C. Non-ericaceous, well-drained soil. Full-sun.

***Digitalis grandiflora* AGM**




Large Yellow Foxglove. Clumping, upright, evergreen perennial. Dark, glossy, ovate basal leaves. Single sided racemes of creamy-yellow flowers in early to mid Summer. 1 x 0.5m in 2-5 years. H6: -20 to -15°C. Any, moist but well-drained to well-drained soil. Full-sun to Full-shade.

***Digitalis parviflora* 'Milk Chocolate' AGM**



Clumping, upright, perennial. Downy lanceolate basal leaves. Spikes of densely packed light bronze flowers in Summer. 1 x 0.5m in 2-5 years. H5: -15 to -10°C. Any, moist but well-drained to well-drained soil. Full-sun to Full-shade.

Duchesnea indica




Mock Strawberry. Mat forming, semi-evergreen, perennial, spreading by short runners Lobed leaves with three leaflets. Yellow flowers in Summer followed by bright red fruit. 0.1 x 1.5m in 2-5 years. H6: -20 to -15°C. Any, moist but well-drained soil. Full-sun to Full-shade.

Echinops tianschanicus



Tjanschan Globe Thistle.
Clumping, upright, herbaceous perennial. Spiny, hairy, grey-green leaves. Upright grey woolly stems bearing spherical pale blue flowers, in late Summer. 1.5 x 1.0m in 2-5 years. H7: < -20°C. Any, well-drained to moist but well-drained soil. Full-sun to Part-shade.

***Epimedium grandiflorum* 'Lilac Fairy'**



Compact, clump-forming, rhizomatous, perennial. Cordate leaves with a purple tint when young. Upright, wiry stems bear open sprays of purple flowers with pale spurs in Spring. 0.3 x 0.3m in 2-5 years. H5: -15 to -10°C. Non-calcerous, well-drained soil. Part-shade.

***Epimedium × rubrum* AGM**



Red Barrenwort. Compact, clump-forming, rhizomatous, perennial. Cordate leaves with a red tint when young and in Autumn. Upright, wiry stems bear open sprays of crimson flowers with creamy-yellow spurs in Spring. 0.3 x 0.3m in 2-5 years. H7: < -20°C. Non-calcerous, well-drained soil. Part-shade.

***Epimedium × versicolor* 'Sulphureum' AGM**



Clump-forming, rhizomatous, evergreen perennial. Cordate leaves with a red tint when young and in Autumn. Upright, wiry stems bear open sprays of Primrose yellow flowers in Spring. 0.5 x 0.5m in 2-5 years. H7: < -20°C. Non-calcerous, moist but well-drained to well-drained soil. Full-sun to Full-shade.

Eupatorium cannabinum



Hemp Agrimony. Upright, clumping, herbaceous perennial. Reddish stems. Palmate leaves with narrow leaflets. Dense, domed, terminal clusters of light pink flowers appear in late Summer in to Autumn. 1.5 x 1.0m in 2-5 years. H7: < -20°C. Any, moist but well-drained to poorly-drained soil. Full-sun to Part-shade.

Euphorbia cyparissias



Cypress Spurge. Rhizomatous, herbaceous perennial. Vigorous. Narrow blue-green leaves. Bears greenish-yellow flowers in late Spring to early Summer, often becoming orange with age. 0.5 x 1.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Full-sun.

Eurybia divaricata



White Wood Aster. Upright, bushy, herbaceous perennial. Cordate basal leaves. Erect black stems carry flat topped clusters of small white flowers with yellow to pink centers in late Summer in to Autumn. 1 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

***Eutrochium maculatum* 'Glutball'**



Upright, clumping, herbaceous perennial. Dark purple stems. Neat whorls of lanceolate leaves with dark purple mid-ribs. Large terminal clusters of deep pink flowers appear in mid Summer in to Autumn. 2 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained to poorly-drained soil. Full-sun to Part-shade.

***Ficaria verna* 'Brazen Hussy'**



Tuberous perennial. Cordate, glossy, deep black-bronze leaves. Bright yellow flowers in Spring. Dies back in Summer. 0.1 x 0.1m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-shade to Part-shade.

Fragaria vesca



Wild Strawberry. Spreading, stoloniferous, herbaceous perennial. Rosettes of 3-palmate leaves with toothed leaflets. Cymes of white flowers in Spring. Red fruit in Summer. 0.3 x 1m in 2-5 years. H6: -20 to -15°C. Any, moist but well-drained soil. Full-sun.

Galega officinalis



Goats Rue.

Robust, herbaceous perennial. Bushy clumps of stems with pinnate leaves. Erect racemes of white to Lilac flowers from mid-Summer. 1.2 x 0.7m in 2-5 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

***Geranium* × *oxonianum* 'Walter's Gift'**




Mounding herbaceous perennial. Lobed leaves marked with deep red. Pale pearly-pink flowers have darker veins from late Spring into Summer. 0.5 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well- drained to well-drained soil. Full-sun to Part-shade.

Geranium palustre



Marsh Cranesbill. Clump forming herbaceous perennial. Green deeply palmately divided leaves. Bright pink flowers on thin stems for a long season in Summer. 0.5 x 0.5m in 2-5 years. H5: -15 to -10°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

***Geranium phaeum* 'Lily Lovell'**




Upright, herbaceous perennial. Deeply divided basal leaves. Erect stems bear dusky purple flowers with white eyes from late Spring into Summer. Raised by Mr Trevor Bath, Woking, Surrey, named after his mother. 1 x 0.7m in 2-5 years. H7: < -20°C. Any, well-drained soil. Full-shade to Full-sun.

Geranium pratense




Meadow Cranesbill. Clump forming herbaceous perennial. Hairy stems. Green palmately divided leaves. Lax inflorescences of violet-blue, five petaled flowers in Summer. 0.7 x 0.7m in 2-5 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

***Geranium* 'Red Admiral'**




Clump forming herbaceous perennial. Green deeply palmately divided leaves with red colouration in autumn. Bright red-purple flowers with black centers & veins all Summer. 0.7 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Full-sun to Part- shade.

***Geum* 'Mr Mojo'**



Clump forming, rhizomatous, herbaceous perennial. Mid green-greyish, scalloped, basal leaves. Upright dark stems bear orange flowers with deep red streaks and yellow stamens from late Spring into Summer. 0.3 x 0.3m in 2-5 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Full-sun. This plant is registered as under Plant Heritage guardianship.

***Geum* 'Rusty Young'**



Clump forming, rhizomatous, herbaceous perennial. Mid green, scalloped, basal leaves. Upright stems bear yellow flowers splashed with red from late Spring into Summer. 0.3 x 0.3m in 2-5 years. H7: < - 20°C. Any, moist but well-drained to well-drained soil. Full-sun.

Heliopsis helianthoides



Smooth Ox-eye. Robust, upright herbaceous perennial. Lance shaped leaves and rich yellow flowers up to 5cm across from July to September. 1.2 x 0.7m in 2-5 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Full-sun.

Hemerocallis



Unknown cultivar from a village hall jumble sale at Kirkhaugh! Sometime it needs splitting and we have some spare. Shades of peachy-orange over Summer

Hierochloa odorata



Sweet Grass. Lax, spreading, perennial grass. Shiny horizontal leaves. Amazing fragrance. This is the Sweet Grass of the R. W. Kimmereer book. Known as Holy Grass in Europe & Bison Grass in Poland. 0.6 x ??? in 2-5 years. H7: < -20°C. Any, moist to poorly-drained soil. Full-sun to Part-shade.

Hylotelephium telephium




Orpine. Clump forming herbaceous perennial. Fleshy grey-green leaves. Erect stems with dense clusters of stary dark pink flowers from late Summer into Autumn. 1 x 0.5m in 2-5 years. H7: < -20°C. Non-ericaceous, well-drained soil.

Inula helenium



Elecampane. Robust, upright herbaceous perennial. Large toothed, elliptic leaves, white-hairy beneath. Yellow daisy-like flower heads to 9cm wide, with narrow rays and a darker centre in Summer. 2 x 1m in 2-5 years. H6: -20 to -15°C. Any, moist but well-drained soil. Full-sun.

***Lunaria rediviva* AGM**



Perennial Honesty. Herbaceous perennial. Toothed leaves and fragrant lilac-white flowers in late Spring to early Summer. The flowers are followed by elliptical seedpods. 1 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

Lycopus europaeus



Gypsywort. Upright, clumping, herbaceous perennial. Opposite, pinnately lobed leaves. Whorls of small white flowers at upper leaf joints from Summer to Autumn. 0.7 x 0.7m in 2-5 years. H7: < -20°C. Any, moist but well-drained to poorly-drained soil. Full-sun to Part-shade.

***Lythrum salicaria* 'Robert'**



Clumping, erect, herbaceous perennial. Lance shaped leaves. Erect flower stems carry racemes of clear pink flowers in Summer. 0.7 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained to poorly-drained soil. Full-sun.

***Lythrum salicaria* 'Robin'**



Erect, clumping, herbaceous perennial. Linear to lance-shaped, mid to dark green leaves. Branching stems bear spike-like racemes of deep pink to purple-pink flowers from early Summer into early Autumn. 1 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained to poorly-drained soil. Full-sun to Part-shade.

***Lythrum salicaria* 'The Beacon'**



Erect, clumping, herbaceous perennial. Linear to lance-shaped, mid to dark green leaves. Branching stems bear spike-like racemes of deep pink to purple-pink flowers from early Summer into early Autumn. 1.2 x 0.7m in 2-5 years. H7: < -20°C. Any, moist but well-drained to poorly-drained soil. Full-sun.

***Lythrum virgatum* 'Rosy Gem'**



Erect, clumping, herbaceous perennial. Linear leaves. Branching stems bear spike-like racemes of rose pink flowers from early Summer into early Autumn. 1 x 0.5m in 2-5 years. H6: -20 to -15°C. Any, moist but well-drained to poorly-drained soil. Full-sun.

Malva moschata



Musk Mallow. Upright, herbaceous, perennial British wildflower. Heart shaped lower leaves and lobed upper ones. Saucer shaped pink flowers from Summer into Autumn. 1 x 0.5m in 2-5 years. H5: -15 to -10°C. Any, moist but well-drained soil. Full-sun.

***Melica altissima* 'Atropurpurea'**



Clumping, deciduous perennial grass. Light green leaves. Erect stems with single sided panicles of glossy deep purple spikelets in Summer. 1 x 0.5m in 2-5 years. H6: -20 to -15°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

***Milium effusum* 'Yaffle'**




Semi-evergreen perennial grass. Selection of the UK native Wood Millet. Carries a distinctive yellow line in the centre of the leaves. Golden-yellow flowers are held high above the foliage in Spring. 0.5 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Part-shade.

***Miscanthus sinensis* 'Femer Osten' AGM**



Clumping, upright, deciduous grass. Narrow arching leaves that turn orange then straw in autumn. Feathery flower panicles emerge red in late Summer then age to pink in Autumn, then silver in Winter. H6: -20 to -15°C. Any, moist but well-drained to well-drained soil. Full-sun.

***Molinia caerulea* subsp. *arundinacea* 'Transparent' AGM**



Clumping, upright, deciduous grass. Arching strap-like leaves that turn yellow in autumn. Silvery-purple spikelets on open panicles are held high in Summer and also fade to yellow. 2 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

Moltkia doerfleri



Upright, rhizomatous, herbaceous perennial. Stems carry narrow lanceolate leaves topped by incredible deep purple tubular flowers in late Spring. 0.5 x 0.5m in 2-5 years. H4: -10 to -5°C. Non-ericaceous, well-drained soil. Full-sun.

Omphalodes verna



Blue-eyed Mary. Mat forming herbaceous perennial. Green veined, oval leaves. Sprays of white eyed blue flowers in Spring. 0.5 x 0.5m in 2-5 years. H6: -20 to -15°C. Any, moist but well-drained soil. Part-shade.

***Peucedanum ostruthium* 'Daphnis'**



Bushy, clump forming, herbaceous perennial. Variegated and deeply lobed aromatic foliage. Umbels of lacy white flowers in early to mid Summer. 0.7 x 0.7m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-shade to Part-shade.

Phlomis tuberosa



Sage-leaf Mullein. Clump forming, upright, herbaceous perennial. Serrated and deeply veined sagitate basal leaves. Strong upright dark purple stems with successive whorls of hooded, tubular, purple flowers from mid-Summer. 1.5 x 0.5m in 2-5 years. H5: -15 to -10°C. Any, well-drained soil. Full-sun.

***Plantago major* 'Rubrifolia'**




Rosette forming perennial, Large ribbed leaves with a purple-bronze colour. Colour improves in Sun and in Autumn. Un-showy flower spikes in Summer. 0.3 x 0.3m in 2-5 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade

Polemonium caeruleum* subsp. *caeruleum* f. *album




White Jacob's Ladder. Upright, herbaceous perennial. Light green, pinnate leaves. Stems bear pure white flowers with yellow anthers in Summer. 1 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

***Polemonium foliosissimum* 'Cottage Cream'**



Erect, clumping, herbaceous, perennial. Pinnate, light-green leaves. Stiff stems carry sterile, long flowering cream flowers with yellow stamens from late Spring to Summer. 1 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

***Polemonium* 'Lambrook Mauve'**



Mounding, herbaceous perennial. Dense clumps of divided leaves. Slightly longer stalks carry pinkish-mauve flowers from late Spring to Summer. 0.45 x 0.45m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

Polemonium yezoense



Japanese Jacobs Ladder. Clumping, upright, herbaceous perennial. Leaves more divided than *P. caeruleum* with more and smaller pinnae. Upright stems bearing spherical deep purple -blue flowers in late Spring to Summer. 1 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade. This cultivar is registered as under Plant Heritage guardianship.

Polygonatum verticillatum 'Rubrum'



Upright, rhizomatous, herbaceous perennial. Narrow stalkless leaves in whorls on the dusky purple stem. Dusky-pink, bell-shaped flowers, hanging below the leaves from late Spring to Summer, followed by red fruit. 1 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-shade to Part-shade.

Potentilla 'Flamenco'



Clumping perennial. Five lobed dark green leaves. Branched stems of clustered bright scarlet-red flowers from late Spring to Summer. 0.5 x 0.5m in 2-5 years. H7: < -20°C. Any, moderately fertile to poor, well-drained soil. Full-sun.

Potentilla nepalensis 'Miss Willmott'



Clumping perennial. Five lobed dark green leaves. Branched stems of clustered and dark centred Cherry-pink flowers from late Spring to Summer. 0.5 x 0.5m in 2-5 years. H7: < -20°C. Any, moderately fertile to poor, well-drained soil. Full-sun.

Prunella 'Rose Pearl'



Semi-evergreen, mat forming perennial. Dark green oval to lanceolate, toothed foliage. Dense short spikes of two lipped Rose-pink flowers in late Spring to Summer. 0.3 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

Pulmonaria rubra



Red Lungwort. Clump forming, rhizomatous, sometimes semi-evergreen, herbaceous perennial. Unmarked leaves. Bears coral red flowers on short stems from early Spring. 0.5 x 1m in 2-5 years. H6: -20 to -15°C. Any, humus rich, moist but well-drained soil. Full-shade to Part-shade.

Pyrus communis 'Beth' (D) AGM



Compact dessert pear, 2.5-8m tall depending upon the rootstock. Flowers white, fruit yellow-green, small and sweet. Pollination group 3. Season of use: September. 5 x 3m in 10-20 years. H6: -20 to -15°C. Any, moist but well-drained to well-drained soil. Full-sun.

Pyrus communis 'Hessle' (C/D)



A medium-sized, upright tree, long, shiny, oval leaves and white blossom in spring. Small, round-to-conical, dessert pears have greenish-yellow skin with variable russetting. The pale yellow flesh is juicy, melting and sweet but with little flavour. Pick in early autumn and use to mid-autumn; very hardy and crops reliably even in cooler conditions. Not self-fertile, in pollination group 2. 5 x 5m in 10-20 years. H6: -20 to -15°C. Any, moist but well-drained to well-drained soil. Full Sun.

***Ribes rubrum* 'Junifer' (R)**



High yield. Early season. Good long strigs. 1.5 x 1.5m in 10-20 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

***Ribes rubrum* 'Red Lake' (R) AGM**




Good yield. Mid season, Long strigs. 1.5 x 1.5m in 10-20 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

***Ribes rubrum* 'Rondom' (R)**




Good yield. Late season. Pale-ish berries. 1.5 x 1.5m in 10-20 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

***Rudbeckia fulgida* var. *sullivantii* 'Goldsturm' AGM**



Erect, clumping, herbaceous perennial. Erect stems with ovate leaves carry the 12cm deep yellow, black centred flowers from Summer in to Autumn. 1 x 0.5m in 2-5 years. H7: < -20°C. Any, humus rich, moist but well-drained soil. Full-sun to Part-shade.

Rudbeckia laciniata



Cut-leaved Coneflower. Erect, rhizomatous perennial. Deeply divided leaves. Large (to 4") yellow flowers with prominent central cones in Summer. 2.5 x 1.5m in 2-5 years. H6: -20 to -15°C. Any Moist but Well drained soil. Full Sun.

Rudbeckia mollis



Softhair Coneflower. Erect, clumping, herbaceous perennial. Erect stems with softly hairy ovate leaves carry the yellow, black centred flowers from Summer into Autumn. 1.2 x 0.5m in 2-5 years. H4: -10 to -5°C. Any, well-drained soil. Full-sun. This cultivar is registered as under Plant Heritage guardianship.

***Rumex acetosa* 'De Belleville'**



Clump forming herbaceous perennial. Pale green ovate leaves. Spikes of red tinted flower in summer. 18th c French Horticultural variety with a lemony sharp taste. 1.5 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Part-shade.

***Sambucus nigra* f. *porphyrophylla* 'Black Lace' AGM**




Deciduous shrub. Deeply divided, purplish-black foliage from Spring. Abundant flat umbels of pink flowers in Summer. Purple-black berries in Autumn. 4 x 8m in 5-10 years. H6: -20 to -15°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

***Sanguisorba* 'All Time High' AGM**




Clumping, rhizomatous herbaceous perennial. Green pinnate leaves with toothed leaflets. Erect stems carry pendant milky-white "bottle brush" flowers from Summer to early Autumn. 2 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Part-shade to Full-Sun.

***Sanguisorba* 'Blackthorn'**



Clumping, rhizomatous herbaceous perennial. Green pinnate leaves with toothed leaflets. Erect stems carry upright "bottle brush" rose-pink flowers from Summer to early Autumn. 1.5 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Part-shade to Full-Sun.

***Sanguisorba* 'Cally Pink'**



Clumping, rhizomatous herbaceous perennial. Green pinnate leaves with toothed leaflets. Erect stems carry pink "bottle brush" flowers from Summer to early Autumn. Introduced by Cally Gardens, D&G. 1 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Part-shade to Full-Sun. This cultivar is registered as under Plant Heritage guardianship.

Sanguisorba canadensis



White Burnet. Clumping, rhizomatous herbaceous perennial. Glossy green pinnate leaves with narrowly oblong leaflets. Erect stems carry neat, erect, white "bottle brush" flowers from Summer to early Autumn. 2 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

***Sanguisorba* 'Chocolate Tip'**



Mat forming, rhizomatous herbaceous perennial. Glaucous leaves with wavy edged leaflets. Erect stems carry dark maroon "bottle brush" flowers from Summer to early Autumn. 1 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Part-shade to Full-shade.

***Sanguisorba hakusanensis* 'Lilac Squirrel'**



Mat forming, rhizomatous herbaceous perennial. Blue-green leaves with wavy edged leaflets. Erect stems carry pinkish-purple, fluffy hanging "tails" from mid Summer to early Autumn. 1.5 x 1.5m in 2-5 years. H6: -20 to -15°C. Any Moist but Well drained soil. Part Shade to Full Sun.

***Sanguisorba* 'Pink Tanna'**



Clumping, rhizomatous herbaceous perennial. Green pinnate leaves with toothed leaflets. Erect stems carry deep pink "bottle brush" flowers with pink stamens from Summer to early Autumn. 1 x 0.5m in 2-5 years. H7: < -20°C. Any Moist but Well drained soil. Part Shade to Full Sun.

***Sanguisorba* 'Tanna'**



Clumping herbaceous perennial. Forms a mound of crimped, blue-green, pinnate leaves. Upright stems carry dense, rounded spikes of deep red flowers in late Summer to early Autumn. 0.5 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

Saponaria officinalis



Soapwort. Clumping, rhizomatous herbaceous perennial. Upright stems bear ovate leaves and terminal clusters of fragrant light pink to white flowers from Summer to Autumn. 1 x 0.5m in 2-5 years. H7: < -20°C. Non-ericaceous, well-drained soil. Full-sun.

***Sedum rupestre* 'Angelina'**



Mat forming, evergreen, perennial. Fleshy, linear, cylindrical leaves; yellow in Spring turning green in Summer and with orange & red tints in Autumn. Upright stems with clusters of small yellow flowers in Summer. 0.5 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

***Silene dioica* 'Purple Prince'**




Upright, herbaceous perennial. Downy, oval, purple tinged leaves. Purple stems, which get darker in better light bear bright rose-red flowers with notched petals from Mar till Nov, peaking in May. A selected form of the UK native perennial. 1 x 0.5m in 2-5 years. H6: -20 to -15°C. Any Moist but Well drained to Well drained soil. Part Shade to Full Sun.

Silene fimbriata



Fringe-flowered Campion. Clumping herbaceous perennial. Forms a mound of shiny lanceolate leaves. Branched stems with opposite leaves bear the delicately fringed white flowers from May to June. Inflated calyxes persist after the flowers. 1 x 1m in 2-5 years. H5: -15 to -10°C. Any, moist but well-drained to well-drained soil. Part-shade to Full-Sun.

Silene flos-cuculi



Ragged Robin. Upright, herbaceous perennial. Opposite, lanceolate leaves. Erect stems terminal clusters of rose-pink flowers with deeply cut petals from late Spring to early Summer. 0.3 x 0.3m in 2-5 years. H7: < -20°C. Any, moist soil. Full-sun to Part-shade.

Silene latifolia



White Campion. Upright biennial to short lived perennial. Elliptical leaves. Clusters of white flowers with a slight evening scent in Summer. 1 x 0.5m in 2-5 years. H6: -20 to -15°C. Non-ericaceous, moist but well-drained to well-drained soil. Full-sun to Part-shade.

Sium sisarum



Upright, herbaceous perennial. Divided leaves with oval leaflets. Flat terminal umbels of white flowers in Summer. Believed to have been brought to the UK by the Romans. A well behaved Umbellifer for a naturalistic border & an edible root crop with a nutty parsnip like taste. 1.5 x 0.5m in 1-2 years. H6: -20 to -15°C. Any, moist but well-drained to well-drained soil. Full-sun.

Solidago altissima



Tall Goldenrod. Rhizomatous, clumping, herbaceous perennial. Lanceolate, toothed, hairy leaves. Upright stems broadly conical sprays of densely packed yellow flowers on horizontal branches from late Summer in to Autumn. 2.5 x 1.5m in 2-5 years. H6: -20 to -15°C. Any, well-drained to moist but well-drained soil. Full-sun. This cultivar is registered with Plant Heritage as endangered in cultivation. This cultivar is registered as under Plant Heritage guardianship.

Symphotrichum 'Ringdove' (ericoideshybrid) AGM



Upright, herbaceous perennial. Dark narrow foliage. Arching terminal sprays of small, light rosy-mauve flowers from late Summer into Autumn. 0.7 x 0.5m in 2-5 years. H7: < -20°C. Any, well-drained soil. Full-sun.

Symphytum grandiflorum



Dwarf Comfrey. Spreading, rhizomatous, herbaceous perennial. Hairy mid-green ovate leaves. Nodding spiral cymes of flowers in Spring maturing from pink to blue to white. 0.3 x 0.7m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

Symphytum 'Hidcote Pink'



Clumping herbaceous perennial. Rough, ovate, mid-green leaves. Clusters of pink 7 white flowers in Spring. 0.5 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

Taraxacum pseudorozeum



Pink Dandelion. Rosette forming perennial, Typical Dandelion type form of leaves and flowers. Pink flowers with golden yellow centers in Spring to Summer. 0.3 x 0.3m in 2-5 years. H6: -20 to -15°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

Telekia speciosa




Yellow Ox-eye. Clump forming, upright, herbaceous perennial. Oval to cordate , aromatic foliage. Branching sprays of shaggy yellow flowers from late Summer into Autumn. 2 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained to poorly-drained soil. Part-shade.

Tellima grandiflora Odorata Group



Mounding herbaceous perennial. Rounded, lobed leaves. Upright racemes of small fringed flowers emerge in spring which, unlike the common variety, are fragranced like old fashioned "Pinks" . Flower fringes turn from white to pink to red over time. 0.7 x 0.5m in 2-5 years. H6: -20 to -15°C. Any, moist but well-drained soil. Full-shade to Full-sun. This plant is registered as under Plant Heritage guardianship.

Thalictrum aquilegiifolium



French Meadow Rue. Upright, herbaceous perennial. Divided, Aquilegia-like Blue-green leaves. Dense terminal clusters of fluffy purple flowers in late Spring to Summer. 1.5 x 0.5m in 2-5 years. H5: -15 to -10°C. Non-calcerous, moist but well-drained soil. Part-shade.

Thalictrum flavum* subsp. *glaucum



Glaucous-leaved Yellow Meadow Rue. Robust, upright herbaceous perennial. Glaucous green pinnate leaves. Branched clusters of fluffy yellow flower in Summer. 1.5 x 0.5m in 2-5 years. H7: < -20°C. Any, moist but well-drained to poorly-drained soil. Full-sun to Part-shade.

Thermopsis montana



Mountain Goldenbanner. Rhizomatous, herbaceous perennial. Silky silvery-blue-green three lobed leaves. Spikes of Broom-like yellow flowers in early Summer and sometimes Autumn. 1 x 1m in 2-5 years. H6: -20 to -15°C. Any, moist but well-drained soil. Full-sun to Part-shade.

***Tradescantia* (Andersoniana Group) 'Pink Chablis'**



Clumping herbaceous perennial. Strap like, mid-green, fleshy leaves. Three petaled pink flowers with white edges and white & purple stamens from Summer into Autumn. 0.5 x 0.5m in 2-5 years. H6: -20 to -15°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.

***Verbena officinalis* var. *grandiflora* 'Bampton'**



Bushy, upright herbaceous perennial. Lobed foliage that is deep purple in good light. Fine, wiry branches bearing short, airy spikes of small purplish-pink flower from mid-Summer to mid-Autumn. Selection of a UK Native. 1 x 1m in 2-5 years. H6: -20 to -15°C. Any, well-drained to moist but well-drained soil. Full-sun.

Veronica gentianoides



Gentian Speedwell. Mat forming herbaceous perennial. Glossy green oval leaves. Terminal racemes of pale blue flowers in Spring. 0.5 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

Veronica spicata




Spiked Speedwell. Clumping herbaceous perennial. Toothed lanceolate leaves. Dense spikes of stary white, pink or blue in Summer. 0.7 x 0.5m in 2-5 years. H4: -10 to -5°C. Any, moist but well-drained to well-drained soil. Full-sun.

***Veronicastrum virginicum* f. *roseum* 'Pink Glow'**



Upright, herbaceous perennial. Narrow leaves in whorls about the stems. Branching terminal spikes of small, very pale pink flowers over a long period over Summer into Autumn. 1.5 x 1m in 2-5 years. H7: < -20°C. Any, moist but well-drained soil. Full-sun to Part-shade.

Viscaria vulgaris



Sticky Catchfly. Semi-evergreen, rare UK native perennial. Tufted basal leaves. Stems with sticky sections thought to catch flies (hence the name), carry panicles of purple-red flowers in late Spring to Summer. 0.5 x 0.5m in 2-5 years. H5: -15 to -10°C. Any, moist but well-drained to well-drained soil. Full-sun to Part-shade.